

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS  
All approved subcategories and/or analytes are listed below:*

**Miscellaneous**

Asbestos	40 CFR 763 APX A No. III NIOSH 7402
Fibers	NIOSH 7400 A RULES



**Serial No.: 68615**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**DR. LYKOURGOS IORDANIDIS**  
**RJ LEE GROUP INC**  
**800 PRESQUE ISLE DRIVE**  
**PITTSBURGH, PA 15239**

**NY Lab Id No: 10884**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Barium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Cadmium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Calcium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Chromium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Copper, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Iron, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Lead, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Magnesium, Total	EPA 200.7, Rev. 4.4 (1994)

**Serial No.: 68612**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Magnesium, Total	EPA 6010C
Manganese, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Nickel, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Potassium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Silver, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Sodium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C
Strontium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)

**Metals II**

Aluminum, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Antimony, Total	EPA 200.7, Rev. 4.4 (1994)

Serial No.: 68612

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals II**

Antimony, Total	EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Arsenic, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Beryllium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Chromium VI	EPA 7199
Mercury, Total	EPA 245.1, Rev. 3.0 (1994) EPA 7470A
Selenium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Vanadium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)
Zinc, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010C EPA 6020A EPA 200.8, Rev. 5.4 (1994)

Serial No.: 68612

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**DR. LYKOURGOS IORDANIDIS**  
**RJ LEE GROUP INC**  
**800 PRESQUE ISLE DRIVE**  
**PITTSBURGH, PA 15239**

**NY Lab Id No: 10884**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Metals III**

Cobalt, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010C
	EPA 200.8, Rev. 5.4 (1994)
Molybdenum, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010C
	EPA 200.8, Rev. 5.4 (1994)
Thallium, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010C
	EPA 200.8, Rev. 5.4 (1994)
Tin, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010C
	EPA 200.8, Rev. 5.4 (1994)
Titanium, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010C
	EPA 200.8, Rev. 5.4 (1994)

**Mineral**

Chloride	EPA 300.0, Rev. 2.1 (1993)
	EPA 9056A
Fluoride, Total	EPA 300.0, Rev. 2.1 (1993)
	EPA 9056A
Sulfate (as SO <sub>4</sub> )	EPA 300.0, Rev. 2.1 (1993)
	EPA 9056A

**Miscellaneous**

Boron, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010C
	EPA 200.8, Rev. 5.4 (1994)

**Serial No.: 68612**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES NON POTABLE WATER  
All approved analytes are listed below:*

**Miscellaneous**

Bromide	EPA 300.0, Rev. 2.1 (1993) EPA 9056A
Specific Conductance	SM 2510B-2011
Turbidity	SM 2130 B-2011

**Nutrient**

Nitrate (as N)	EPA 300.0, Rev. 2.1 (1993) EPA 9056A
Nitrite (as N)	EPA 300.0, Rev. 2.1 (1993) EPA 9056A
Orthophosphate (as P)	EPA 300.0, Rev. 2.1 (1993) EPA 9056A

**Residue**

Solids, Total	SM 2540 B-2015
Solids, Total Dissolved	SM 2540 C-2015
Solids, Total Suspended	SM 2540 D-2015

**Sample Preparation Methods**

EPA 3010A  
EPA 3005A

Serial No.: 68612

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**DR. LYKOURGOS IORDANIDIS**  
**RJ LEE GROUP INC**  
**800 PRESQUE ISLE DRIVE**  
**PITTSBURGH, PA 15239**

**NY Lab Id No: 10884**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Arsenic, Total	EPA 200.8 Rev. 5.4
Barium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Cadmium, Total	EPA 200.8 Rev. 5.4
Chromium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Copper, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Iron, Total	EPA 200.7 Rev. 4.4
Lead, Total	EPA 200.8 Rev. 5.4
Manganese, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Mercury, Total	EPA 245.1 Rev. 3.0
	EPA 200.8 Rev. 5.4
Selenium, Total	EPA 200.8 Rev. 5.4
Silver, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Zinc, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4

**Metals II**

Aluminum, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Antimony, Total	EPA 200.8 Rev. 5.4
Beryllium, Total	EPA 200.8 Rev. 5.4
Molybdenum, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Nickel, Total	EPA 200.7 Rev. 4.4

**Serial No.: 68611**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**DR. LYKOURGOS IORDANIDIS**  
**RJ LEE GROUP INC**  
**800 PRESQUE ISLE DRIVE**  
**PITTSBURGH, PA 15239**

**NY Lab Id No: 10884**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals II**

Nickel, Total	EPA 200.8 Rev. 5.4
Thallium, Total	EPA 200.8 Rev. 5.4
Vanadium, Total	EPA 200.7 Rev. 4.4 EPA 200.8 Rev. 5.4

**Metals III**

Boron, Total	EPA 200.7 Rev. 4.4
Calcium, Total	EPA 200.7 Rev. 4.4
Magnesium, Total	EPA 200.7 Rev. 4.4
Potassium, Total	EPA 200.7 Rev. 4.4
Sodium, Total	EPA 200.7 Rev. 4.4

**Miscellaneous**

Asbestos	EPA 100.2
Turbidity	SM 21-23 2130 B (-01)

**Non-Metals**

Chloride	EPA 300.0 Rev. 2.1
Fluoride, Total	EPA 300.0 Rev. 2.1
Nitrate (as N)	EPA 300.0 Rev. 2.1
Nitrite (as N)	EPA 300.0 Rev. 2.1
Orthophosphate (as P)	EPA 300.0 Rev. 2.1
Solids, Total Dissolved	SM 21-23 2540C (-97)
Specific Conductance	SM 21-23 2510B (-97)
Sulfate (as SO4)	EPA 300.0 Rev. 2.1



**Serial No.: 68611**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).





NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**DR. LYKOURGOS IORDANIDIS**  
**RJ LEE GROUP INC**  
**800 PRESQUE ISLE DRIVE**  
**PITTSBURGH, PA 15239**

**NY Lab Id No: 10884**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Characteristic Testing**

Corrosivity (pH)	EPA 9045D
TCLP	EPA 1311

**Metals I**

Barium, Total	EPA 6010C
Cadmium, Total	EPA 6010C
Calcium, Total	EPA 6010C
Chromium, Total	EPA 6010C
Copper, Total	EPA 6010C
Iron, Total	EPA 6010C
Lead, Total	EPA 6010C
Magnesium, Total	EPA 6010C
Manganese, Total	EPA 6010C
Nickel, Total	EPA 6010C
Potassium, Total	EPA 6010C
Silver, Total	EPA 6010C
Sodium, Total	EPA 6010C
Strontium, Total	EPA 6010C

**Metals II**

Aluminum, Total	EPA 6010C
Antimony, Total	EPA 6010C
Arsenic, Total	EPA 6010C
Beryllium, Total	EPA 6010C
Chromium VI	EPA 7199
Lithium, Total	EPA 6010C
Selenium, Total	EPA 6010C
Vanadium, Total	EPA 6010C

**Serial No.: 68613**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**DR. LYKOURGOS IORDANIDIS**  
**RJ LEE GROUP INC**  
**800 PRESQUE ISLE DRIVE**  
**PITTSBURGH, PA 15239**

**NY Lab Id No: 10884**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Metals II**

Zinc, Total EPA 6010C

**Metals III**

Cobalt, Total EPA 6010C

Molybdenum, Total EPA 6010C

Thallium, Total EPA 6010C

Tin, Total EPA 6010C

Titanium, Total EPA 6010C

**Minerals**

Bromide EPA 9056A

Chloride EPA 9056A

Fluoride, Total EPA 9056A

Sulfate (as SO4) EPA 9056A

**Miscellaneous**

Boron, Total EPA 6010C

**Nutrients**

Nitrate (as N) EPA 9056A

Nitrite (as N) EPA 9056A

Orthophosphate (as P) EPA 9056A

**Sample Preparation Methods**

EPA 3050B

EPA 3052

EPA 3060A

**Serial No.: 68613**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued April 01, 2024  
Revised August 22, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved subcategories and/or analytes are listed below:*

**Miscellaneous**

Asbestos in Friable Material	Item 198.1 of Manual EPA 600/M4/82/020
Asbestos in Non-Friable Material-PLM	Item 198.6 of Manual (NOB by PLM)
Asbestos in Non-Friable Material-TEM	Item 198.4 of Manual



**Serial No.: 69526**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued August 22, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved subcategories and/or analytes are listed below:*

**Perfluorinated Alkyl Acids**

11CL-PF3OUDS	EPA 533
	EPA 537.1
4:2FTS	EPA 533
6:2FTS	EPA 533
8:2FTS	EPA 533
9CL-PF3ONS	EPA 533
	EPA 537.1
ADONA	EPA 533
	EPA 537.1
Hexafluoropropylene Oxide Dimer Acid	EPA 533
	EPA 537.1
NETFOSAA	EPA 537.1
NMEFOSAA	EPA 537.1
Nonafluoro-3,6-Dioxaheptanoic Acid	EPA 533
Perflourotridecanoic Acid (PFTRDA)	EPA 537.1
Perfluorodecanoic Acid (PFDA)	EPA 533
	EPA 537.1
Perfluoro-3-Methoxypropanoic Acid	EPA 533
Perfluoro-4-Methoxybutanoic Acid	EPA 533
Perfluorobutanesulfonic Acid (PFBS)	EPA 533
	EPA 537.1
Perfluorobutanoic Acid (PFBA)	EPA 533
Perfluorododecanoic Acid (PFDOA)	EPA 533
	EPA 537.1
Perfluoroheptanesulfonic Acid (PFHPS)	EPA 533
Perfluoroheptanoic Acid (PFHPA)	EPA 533
	EPA 537.1



**Serial No.: 69527**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025  
Issued August 22, 2024

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*DR. LYKOURGOS IORDANIDIS  
RJ LEE GROUP INC  
800 PRESQUE ISLE DRIVE  
PITTSBURGH, PA 15239*

*NY Lab Id No: 10884*

*is hereby APPROVED as an Environmental Laboratory for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved subcategories and/or analytes are listed below:*

**Perfluorinated Alkyl Acids**

Perfluorohexanesulfonic Acid (PFHXS)	EPA 533
	EPA 537.1
Perfluorohexanoic Acid (PFHXA)	EPA 533
	EPA 537.1
Perfluorononanoic Acid (PFNA)	EPA 533
	EPA 537.1
Perfluorooctanesulfonic Acid (PFOS)	EPA 533
	EPA 537.1
Perfluorooctanoic Acid (PFOA)	EPA 533
	EPA 537.1
Perfluoropentanesulfonic Acid (PFPEs)	EPA 533
Perfluoropentanoic Acid (PFPEA)	EPA 533
Perfluorotetradecanoic Acid (PFTA)	EPA 537.1
Perfluoroundecanoic Acid (PFUNA)	EPA 533
	EPA 537.1
PFEESA	EPA 533



**Serial No.: 69527**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).